

FLINN SCIENTIFIC INC.

"Your Safer Source for Science Supplies"

Material Safety Data Sheet (MSDS)

MSDS #: 438.00

Revision Date: November 25, 2002

Section 1 — Chemical Product and Company Identification

Lead Nitrate Solution

Flinn Scientific, Inc. P.O. Box 219 Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Section 2 — Composition, Information on Ingredients

Lead Nitrate (10099-74-8) 3-1.5% and Water (7732-18-5) 97-98.5%.

CAS#: None Established

Section 3 — Hazards Identification

Clear, colorless, odorless liquid.

Moderately toxic by ingestion and inhalation. Possible carcinogen. Irritating to eyes, skin and mucous membranes. Avoid all body tissue contact.

Chronic exposure to inorganic lead via inhalation or ingestion can result in accumulation in and damage to the soft tissues and bones.

FLINN AT-A-GLANCE

Health-2

Flammability-0

Reactivity-1

Exposure-2

Storage-0

0 is low hazard, 3 is high hazard

Section 4 — First Aid Measures

Call a physician, seek medical attention for further treatment, observation and support after first aid.

Inhalation: Remove to fresh air at once. If breathing has stopped give artificial respiration immediately.

Eye: Immediately flush with fresh water for 15 minutes.

External: Wash continuously with fresh water for 15 minutes.

Internal: Rinse out mouth, give 1 to 2 cups of water or milk, induce vomiting. After vomiting, give mixture of 2 Tbs. of activated charcoal mixed with one cup of water. Call a physician or poison control at once.

Section 5 — Fire Fighting Measures

Non-flammable, non-combustible liquid.

NFPA CODE

None Established

Section 6 — Accidental Release Measures

Restrict unprotected personnel from area and ventilate area. Contain spill with sand or absorbent material; deposit in sealed bag or container. See Sections 8 and 13 for further information.

Section 7 — Handling and Storage

Flinn Suggested Chemical Storage Pattern: Inorganic #3. Store with amides, nitrates and nitrites.

Section 8 — Exposure Controls, Personal Protection

Avoid contact with eyes, skin and clothing. Wear chemical splash goggles, chemical-resistant gloves and chemical-resistant apron.

Use ventilation to keep airborne concentrations below exposure limits. Always wear a NIOSH-approved respirator with proper cartridges or a positive pressure, air-supplied respirator when handling this material in emergency situations (spill or fire).

Exposure guidelines: TWA 0.15 mg/m³ (Pb) (ACGIH)

Section 9 — Physical and Chemical Properties

Mixture of lead nitrate and water.

Section 10 — Stability and Reactivity

When heated to decomposition, emits toxic fumes of Pb and NO_x.

Shelf life: Indefinite.

Section 11 — Toxicological Information

Acute effects: Irritant

Chronic effects: N.A.

Target organs: N.A.

ORL-RAT LD50: N.A.

IHL-RAT LC50: N.A.

SKN-RBT LD50: N.A.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

Section 12 — Ecological Information

Data not yet available.

Section 13 — Disposal Considerations

Please consult with state and local regulations.

Flinn Suggested Disposal Method #27f is one option.

Section 14 — Transport Information

Shipping Name: Not regulated

Hazard Class: N/A

UN Number: N/A

N/A = Not applicable

Section 15 — Regulatory Information

Not listed.

Section 16 — Other Information

Consult your copy of the Flinn Scientific Catalog/Reference Manual for additional information about laboratory chemicals. This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. Flinn Scientific Inc. assumes no legal responsibility for use or reliance upon this data.

FLINN SCIENTIFIC INC.

"Your Safer Source for Science Supplies"

*Improve Student Lab Results--
Use Flinn Chemicals*

flinn@flinnsci.com www.flinnsci.com
P.O. Box 219 Batavia IL 60510
(800) 452-1261 Fax (866) 452-1436