

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

**1 Identification of substance:****Product details:****Product name:** Potassium permanganate, 0.1N solution**Stock number:** 35590**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company  
 Johnson Matthey Catalog Company, Inc.  
 30 Bond Street  
 Ward Hill, MA 01835-8099  
 Emergency Phone: (978) 521-6300  
 CHEMTREC: (800) 424-9300  
 Web Site: www.alfa.com

**Information Department:** Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

**2 Composition/Data on components:****Chemical characterization:****Description: (CAS#)**

Potassium permanganate (CAS# 7722-64-7); 0.316%  
 Water (CAS# 7732-18-5); 99.684%

**Identification number(s):****EINECS Number:** 231-760-3**3 Hazards identification****Hazard description:** Not applicable**Information pertaining to particular dangers for man and environment** Not applicable**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

|            |   |
|------------|---|
| HEALTH     | 1 |
| FIRE       | 0 |
| REACTIVITY | 0 |

Health (acute effects) = 1

Flammability = 0

Reactivity = 0

**GHS label elements** Void**4 First aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
 Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.  
 Seek immediate medical advice.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek medical treatment.**5 Fire fighting measures****Suitable extinguishing agents**

Product is not flammable. Use fire fighting measures that suit the surrounding fire.

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures****Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Measures for environmental protection:**

Do not allow material to be released to the environment without proper governmental permits.

**Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 2)

- USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

**Product name: Potassium permanganate, 0.1N solution**

(Contd. of page 1)

**Additional information:**

See Section 7 for information on safe handling  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

**7 Handling and storage****Handling****Information for safe handling:**

Keep container tightly sealed.  
 Store in cool, dry place in tightly closed containers.  
 No special precautions are necessary if used correctly.

**Information about protection against explosions and fires:** No special measures required.

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep container tightly sealed.  
 Store in cool, dry conditions in well sealed containers.

**8 Exposure controls and personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Components with limit values that require monitoring at the workplace:**

Manganese, elemental & inorganic compounds (as Mn)  
 mg/m<sup>3</sup>

|                     |                         |
|---------------------|-------------------------|
| ACGIH TLV           | 0.2                     |
| Austria MAK         | 5                       |
| Belgium TWA         | 1; 3-STEL (fume)        |
| Denmark TWA         | 2.5                     |
| Finland TWA         | 0.5                     |
| France VME          | 1 (fume)                |
| Germany MAK         | 0.55                    |
| Japan OEL           | 0.3 (respirable dust)   |
| Korea TLV           | 0.2                     |
| Netherlands MAC-TGG | 1; 3-MAC-K              |
| Norway TWA          | 1                       |
| Russia              | 0.2-STEL (fume)         |
| Sweden NGV          | 1; 2.5-TGV (resp. dust) |
|                     | 2.5; 5-TGV (total dust) |
| Switzerland MAK-W   | 5                       |
|                     | 1 (fume)                |
| United Kingdom TWA  | 5                       |
|                     | 1; 3-STEL (fume)        |
| USA PEL             | 5-Ceiling (fume)        |

**Additional information:** No data

**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

**Protection of hands:** Impervious gloves

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

**9 Physical and chemical properties:****General Information**

|               |          |
|---------------|----------|
| <b>Form:</b>  | Solution |
| <b>Color:</b> | Violet   |
| <b>Odor:</b>  | Odorless |

**Change in condition**

|                                     |                |
|-------------------------------------|----------------|
| <b>Melting point/Melting range:</b> | Not determined |
|-------------------------------------|----------------|

(Contd. on page 3)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

**Product name: Potassium permanganate, 0.1N solution**

(Contd. of page 2)

|  |   |
|--|---|
| <b>Boiling point/Boiling range:</b>            | Not determined                                |
| <b>Sublimation temperature / start:</b>        | Not determined                                |
| <b>Flash point:</b>                            | Not determined                                |
| <b>Ignition temperature:</b>                   | Not determined                                |
| <b>Decomposition temperature:</b>              | Not determined                                |
| <b>Danger of explosion:</b>                    | Product does not present an explosion hazard. |
| <b>Explosion limits:</b>                       |   |
| <b>Lower:</b>                                  | Not determined                                |
| <b>Upper:</b>                                  | Not determined                                |
| <b>Vapor pressure:</b>                         | Not determined                                |
| <b>Density:</b>                                | Not determined                                |
| <b>Solubility in / Miscibility with Water:</b> | Fully miscible                                |

**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

**Materials to be avoided:**

Aqueous solutions are incompatible with alkali and alkaline earth metals and many reactive organic and inorganic chemicals.

**Dangerous reactions**

Reacts with alkali metals.

Reacts with alkaline earth metals.

**Dangerous products of decomposition:** No dangerous decomposition products known**11 Toxicological information****Acute toxicity:****Primary irritant effect:****on the skin:** May cause irritation**on the eye:** May cause irritation**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Chronic exposure to manganese may cause impairment to the central nervous system. Symptoms include sluggishness, sleepiness, muscle weakness, loss of facial muscle control, edema, emotional disturbances, spastic gait and falling. Chronic manganese poisoning may develop after as little as three months of heavy exposure but usually cases develop after one to three years of exposure.

**Additional toxicological information:**

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

**12 Ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

**13 Disposal considerations****Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information**

Not a hazardous material for transportation.

(Contd. on page 4)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 05/15/2009

Reviewed on 05/15/2009

**Product name: Potassium permanganate, 0.1N solution**

(Contd. of page 3)

**DOT regulations:****Hazard class:** None**Land transport ADR/RID (cross-border)****ADR/RID class:** None**Maritime transport IMDG:****IMDG Class:** None**Air transport ICAO-TI and IATA-DGR:****ICAO/IATA Class:** None**Transport/Additional information:** Not dangerous according to the above specifications.**15 Regulations****Product related hazard informations:**

Observe the general safety regulations when handling chemicals

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

**Information about limitation of use:**

For use only by technically qualified individuals.

This product contains manganese and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

**16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing MSDS:** Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

USA